

3-WAY 400 WOG DIVERTER

Features:

- 400 WOG
- 150 WSP
- L-Port Flow Pattern
- Threaded NPT Ends (ANSI B1.20.1)
- Adjustable Stem Packing
- Meets MSS SP-110 Standards
- Blow-out Proof Stem
- Actuator Mounting Pad




Figure Number Matrix

F N W <u>413</u> Size	
SIZE CODES	
1/4 = B	1 = G
3/8 = C	1-1/4 = H
1/2 = D	1-1/2 = J
3/4 = F	2 = K


Cv & Weights

Size	Cv	Wt. (Lbs)
1/4	36	0.42
3/8	38	0.43
1/2	53	0.64
3/4	74	0.97
1	99	1.87
1-1/4	116	2.26
1-1/2	149	3.53
2	188	5.47

Torque (in-lbs)

Size	Torque
1/4	39
3/8	39
1/2	59
3/4	117
1	169
1-1/4	195
1-1/2	234
2	260

3-WAY 400 WOG DIVERTER



Standard Materials

Ref. No.	Description	Material	Qty
1	Body	ASTM B584 C89520	1
2	Ball	ASTM B124 C37700	1
3	End Cap	ASTM B124 C37700	1
4	Seat	RTFE	2
6	Stem	ASTM B16 C36000	1
7	Stem Packing	RTFE + CARBON FIBER	1
8	Handle	A36 CS (NICKEL PLATED)	1
9	Handle Cover	PLASTIC	1
10	Thrust Washer	RTFE	1
11	Gland Nut	ASTM B16 C36000	1
12	Handle Washer	A26 CS (ZINC PLATED)	1
13	Handle Nut	ASTM A283 SS41 (NICKEL PLATED)	1

90° L-PORT PATTERN

FLOW PLAN A



Dimensions (Inches or as indicated)

SIZE	A	B	C	D	E	F	G	H	H1	H2	I	S	ØT (mm)
1/4	0.37	0.89	1.93	1.43	3.27	0.93	0.87	1.37	0.41	0.74	10-24 UNC-2B	0.18	8
3/8	0.37	0.94	1.97	1.43	3.27	0.93	0.87	1.37	0.41	0.74	10-24 UNC-2B	0.18	8
1/2	0.50	1.14	2.20	1.46	3.78	1.10	0.87	1.37	0.43	0.77	10-24 UNC-2B	0.18	8
3/4	0.68	1.20	2.41	1.83	3.94	1.28	0.87	1.37	0.61	1.05	10-24 UNC-2B	0.22	8.5
1	0.87	1.49	3.00	2.28	4.72	1.60	0.87	1.37	0.64	1.08	10-24 UNC-2B	0.25	9.5
1-1/4	1.00	1.64	3.29	2.46	4.72	1.76	0.94	1.50	0.68	1.12	1/4-20 UNC-2B	0.25	9.5
1-1/2	1.25	1.91	3.79	2.98	6.30	2.02	0.94	1.50	0.75	1.38	1/4-20 UNC-2B	0.43	14
2	1.50	1.50	3.94	3.14	6.30	2.17	0.94	1.50	0.72	1.33	1/4-20 UNC-2B	0.43	14

DOC: FNW413BV08 Ver. 110/08

© 2008 - FNW. All rights reserved.
The FNW logo is a registered trademark of Ferguson Enterprises, Inc.

The contents of this publication are presented for information purposes only, and while effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, expressed or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice. Always verify that you have the most recent product specifications or other documentation prior to the installation of these products.