



FNW Portland Office
 4120 NE Columbia Blvd.
 Portland, OR 97211
 Fax: (503) 281-9677

FNW Tucker Office
 2146-B Flintstone Dr.
 Tucker, GA 30084-5000
 Fax: (770) 414-4688

ACTUATION REQUEST FOR QUOTE FORM
 Fax or mail to the nearest office (listed above)

YOUR INFORMATION	
* = Required Information	
*Name:	
Company:	
Address:	
*City:	
*State:	
Zip/Postal Code:	
*Phone:	
*Fax:	
*E-mail:	
PROCESS INFORMATION	
*Media:	
*Pressure:	
*Temperature:	
Viscosity or % of Solids:	
No. of Cycles Per Day:	
Piping Connection:	

VALVE INFORMATION			
FNW Valve		Other Valve	
Manual Valve Only:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Customer Supplied:	<input type="checkbox"/> Yes <input type="checkbox"/> No
Customer Supplied:	<input type="checkbox"/> Yes <input type="checkbox"/> No	*Quantity:	
*Quantity:		Type:	
Figure No.:		*Manufacturer:	
*Size:		*Model No.:	
Body Material:		*Size:	
Trim Material:		Torque:	
Valve Modifications, Notes, and Comments:		Valve Sent to FNW:	<input type="checkbox"/> Yes <input type="checkbox"/> No
		Drawing Available:	<input type="checkbox"/> Yes <input type="checkbox"/> No
		NOTE: If the valve or full valve information is not made available to FNW, FNW will not assume any liability for dimensional errors or misalignment issues. FNW will make corrections, if necessary, at buyers shipping, material, and labor expense.	

ACTUATION INFORMATION	
Pneumatic Actuation	
*Action:	<input type="checkbox"/> Double-Acting <input type="checkbox"/> Spring-Return
Spring Position (if SR):	<input type="checkbox"/> Closed <input type="checkbox"/> Open
*Min. Supply Pressure:	
Options	
Solenoid Valve:	Voltage: _____ <input type="checkbox"/> AC <input type="checkbox"/> DC NEMA: _____ Energize to: <input type="checkbox"/> Open Valve <input type="checkbox"/> Close Valve
Limit Switch:	<input type="checkbox"/> SPDT <input type="checkbox"/> DPDT <input type="checkbox"/> Mechanical <input type="checkbox"/> Proximity NEMA: _____
Positioner:	<input type="checkbox"/> Pneumatic (3-15PSI signal) <input type="checkbox"/> Electro-pneumatic (4-20mA signal) NEMA: _____ <input type="checkbox"/> Feedback – Type: _____
Other (specify):	
Other (specify):	

Electric Actuation			
*Action:	<input type="checkbox"/> Double-Acting <input type="checkbox"/> Spring-Return		
	NOTE: Spring-return electric actuators are available for smaller quarter turn valves. For large or linear valve configurations, contact FNW regarding spring-return options.		
Spring Position (if SR):	<input type="checkbox"/> Closed <input type="checkbox"/> Open		
Supply Voltage:	_____ <input type="checkbox"/> AC <input type="checkbox"/> DC		
Enclosure Rating:	NEMA: _____ (NEMA 4 standard)		
Options (small electric)		Options (large electric)	
Brake:	<input type="checkbox"/> Yes	Non-Integral Controls: (limit and torque switches only)	<input type="checkbox"/> Yes
Potentiometer (1kΩ):	<input type="checkbox"/> Yes	Integral Controls: (includes control buttons and lights)	<input type="checkbox"/> Yes
Positioner: (Includes Brake and Pot)	<input type="checkbox"/> Yes	Modulation Control: (4-20mA input signal)	<input type="checkbox"/> Yes
Other (specify):		Other (specify):	
Other (specify):		Other (specify):	

ADDITIONAL APPLICATION INFORMATION

--